

## E. TRANSACTION ERROR CODES AND MESSAGES

Chart E-1 lists the possible transaction error codes and messages produced by the CSENet 2000 Application Suite when processing or validating a transaction file from a state CSE system. When enhancements or modifications are made to the CSENet 2000 suite, the error message list is updated to reflect the changes.

The first line in the Message/Description column in Chart E-1 lists the error message as it appears in the Error Report created when a transaction file is processed. Additional lines in *italic* provide an explanation of the error. The explanation is based on the requirements specified in Appendix C: *Data Block Record Layout*. See this appendix also for definitions of any abbreviations, such as those for value types or functions. The word *Inactive* means that the error code is not currently being used for validation.

CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES		
Error Code	Data Block	Message/Description
E203	Header	Duplicate Transaction- Check Trans Serial Num <i>The Transaction-Serial-Number must be unique and not previously used with a valid transaction.</i>
E204	Header	Communications not allowed <i>The Local-FIPS-State and the Other-FIPS-State must set up an Exchange Agreement for the specific Functional-Type-Code with each other.</i>
E205	Other	Invalid Ver.3 – Check bytes <i>Inactive.</i>
E206	Other	Invalid Ver.2 – Check bytes <i>Inactive.</i>
E207	Header	Invalid Header byte size – should be 127 <i>The transaction's Header data block must contain 127 bytes.</i>
E208	Case	Invalid Case byte size – should be 351 <i>The transaction's Case data block must contain 351 bytes.</i>
E209	NCP-ID	Invalid NCP_ID byte size – should be 181 <i>The transaction's NCP-ID data block must contain 181 bytes.</i>
E210	NCP Locate	Invalid NCP_Locate byte size – should be 1421 <i>The transaction's NCP Locate data block must contain 1421 bytes.</i>
E211	Participant	Invalid Participant byte size – should be 341 <i>The transaction's Participant data block must contain 341 bytes.</i>
E212	Order	Invalid Order byte size – should be 254 <i>The transaction's Order data block must contain 254 bytes.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E213</b>	Collection	Invalid Collection byte size – should be 70 <i>The transaction's Collection data block must contain 70 bytes.</i>
<b>E214</b>	Information	Invalid Information byte size – should be 416 <i>The transaction's Information data block must contain 416 bytes.</i>
<b>E301</b>	Header	Invalid Functional type code <i>Functional-Type-Code must equal MSC, CSI, ENF, EST, COL, PAT, or LOI.</i>
<b>E302</b>	Header	Invalid Action code <i>Action-Code must equal P, M, U, A, C, or R.</i>
<b>E303</b>	Header	Transaction Date > than current Date <i>The Transaction-Date must not be greater than the Current Date. Current date is read internally by the system.</i>
<b>E305</b>	Header	Invalid Local FIPS code <i>Inactive.</i>
<b>E306</b>	Header	Mandatory Case ID is missing <i>Case-ID is required for all transactions except for LOI Responses and Acknowledgments.</i>
<b>E307</b>	Header	Invalid Other FIPS code <i>Inactive.</i>
<b>E308</b>	Header	Invalid Action Reason <i>Inactive.</i>
<b>E309</b>	Header	Invalid Action Resolution Date <i>Inactive.</i>
<b>E310</b>	Header	Invalid Attachment Indicator <i>Attachments-Ind. must be a Y or N.</i>
<b>E311</b>	Header	Invalid Case data Indicator <i>Case-Data-Ind. must be a 1 or 0 for all transactions with an Action-Code equal to A, C, or M.</i>
<b>E312</b>	Header	Invalid NCP-ID-data Indicator <i>NCP-Identification-Ind. must be a 1 or 0.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E313</b>	Header	Invalid NCP-locate-data Indicator <i>NCP-Locate-Data-Ind. must be a 1 or 0. Value must be 1 for PAT, EST, ENF Requests and Updates and for LO1 Responses if the 2<sup>nd</sup> character of Action-Reason is S. Value may be 0 or 1 for COL, MSC, and CSI transactions.</i>
<b>E314</b>	Header	Invalid Participant data Indicator <i>Participant-Data-Ind. must be 0–9 inclusive.</i>
<b>E315</b>	Header	Invalid Order data Indicator <i>Order-Data-Ind. must be 0–9 inclusive. Value must be 1 or greater for ENF Requests or Updates.</i>
<b>E316</b>	Header	Invalid Collection data Indicator <i>Collection-Data-Ind. must be 0–9 inclusive. Value must be 1 or greater for COL Responses.</i>
<b>E317</b>	Header	Invalid Information data Indicator <i>Information-Ind. must be a 1 or 0. If the Attachments-Ind. is Y, this field must be set to 1.</i>
<b>E318</b>	Header	Mandatory Case data block is Missing <i>Case data block must be present for all transactions except transactions with an Action-Code equal to A, C or M and COL, MSC, CSI Requests, Updates, and Responses unless the second character of Action-Reason is S.</i>
<b>E319</b>	Case	Invalid Contact Phone number <i>Contact-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E320</b>	Header	Mandatory NCP ID data block is Missing <i>NCP-Identification-Ind. must be present for all transactions except transactions with an Action-Code equal to A, C or M and COL, MSC, CSI Requests, Updates, and Responses.</i>
<b>E321</b>	Header	Mandatory NCP Locate data block is Missing <i>NCP-Locate-Data-Ind. must be set to 1 for the following: PAT, EST, ENF Requests and Updates. LO1 Responses must be set to 1 if the 2<sup>nd</sup> character of Action-Reason is S. This indicator can be 0 or 1 for COL, MSC, and CSI transactions.</i>
<b>E322</b>	Header	Mandatory Order data block is Missing <i>An Order-Data-Ind. greater than 1 must be present for ENF Requests or Updates. Valid values are 0–9 inclusive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E323</b>	Header	Reason code should be blank <i>Error-Reason-Code should be blank.</i>
<b>E324</b>	Header	Mandatory CSENet Version number is missing <i>CSENet 2000-Version-Number must contain a value of 003.</i>
<b>E326</b>	Header	Invalid Response Date <i>Inactive.</i>
<b>E327</b>	Header	Invalid Overdue ind – should be filled with 0 <i>Overdue-Ind. must be 0.</i>
<b>E328</b>	Case	Invalid Case-Type <i>Inactive.</i>
<b>E329</b>	Case	Invalid Case-status <i>Inactive.</i>
<b>E330</b>	Case	Invalid Contact State <i>Contact-State must be a valid state code.</i>
<b>E331</b>	Case	Invalid Contact zip code <i>Contact-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E332</b>	Case	Invalid Payment State <i>Payment-State must be a valid state code.</i>
<b>E333</b>	Case	Invalid Data Indicators in header <i>Inactive.</i>
<b>E334</b>	NCP-ID	Invalid CP State <i>Inactive.</i>
<b>E335</b>	NCP-ID	Mandatory NCP-Id Last Name is Missing <i>Name-Last is required.</i>
<b>E336</b>	NCP-ID	Invalid SSN <i>SSN must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E337</b>	NCP-ID	Mandatory Gender code is Missing <i>Inactive.</i>
<b>E338</b>	NCP-ID	Mandatory Race is Missing <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E339</b>	NCP-ID	Mandatory Date of Birth is Missing <i>Inactive.</i>
<b>E340</b>	NCP-ID	Invalid Date-Of-Birth <i>Date-of-Birth must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E341</b>	NCP-ID	Date-of-birth is greater than current Date <i>Date-Of-Birth must be prior to the current date.</i>
<b>E342</b>	Participant	Invalid Race Code in Participant Block <i>Race must be either a W, B, I, A, S, or X.</i>
<b>E343</b>	Participant	Invalid Gender code in Participant Block <i>Gender must be M, F, or O.</i>
<b>E344</b>	NCP-ID	Invalid Height value <i>Inactive.</i>
<b>E345</b>	NCP-ID	Invalid Weight value <i>Weight must contain digits only. Weight cannot equal 000.</i>
<b>E346</b>	NCP-ID	Invalid Hair Color code <i>Hair-Color must be BD, BL, BK, BN, RD, GY, or OT.</i>
<b>E347</b>	NCP Locate	Invalid Mailing State <i>Mailing-State must be a valid state code.</i>
<b>E348</b>	NCP Locate	Invalid Mailing zip code <i>Inactive.</i>
<b>E349</b>	NCP Locate	Mandatory Mailing Zip is Missing <i>Inactive.</i>
<b>E350</b>	NCP Locate	Invalid Mailing Address Eff. Date <i>Mailing-Address-Effective-Date must contain digits only. Digits should not be in consecutive order.</i>
<b>E351</b>	NCP Locate	Invalid Res. State code <i>Residential-State must be a valid state code.</i>
<b>E352</b>	NCP Locate	Mandatory Res. Address End Date Missing <i>Residential-Address-End-Date is required for LO1 Responses if the 2<sup>nd</sup> character of Action-Reason is U and Residential-Address-Line-1 is present.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E353</b>	NCP Locate	Mandatory Mailing Address Eff. Date Missing <i>Mailing-Address-Effective-Date is required if Mailing-Address-Line-1 is present for the following transactions: PAT, EST, and ENF Requests and Updates; and LOI, PAT, EST, and ENF Responses.</i>
<b>E354</b>	NCP Locate	Mandatory Mailing addr end Date Missing <i>Mailing-Address-End-Date is required if the LOI Response Action-Reason code is U and if Mailing-Address-Line-1 is present.</i>
<b>E355</b>	NCP Locate	Mandatory Mail addr confirm Ind. Missing <i>Mailing-Address-Confirmed-Ind. is required when Mailing-Address-Line-1 is present.</i>
<b>E356</b>	NCP Locate	Invalid Mailing Address End Date <i>Inactive.</i>
<b>E357</b>	NCP Locate	Mailing address End Date < Effective Date <i>Inactive.</i>
<b>E358</b>	NCP Locate	Invalid Mail Addr Conf Indicator <i>Mailing-Address-Confirmed-Ind. must be a Y, N, or P.</i>
<b>E359</b>	NCP Locate	Mandatory Res. Zip Code is Missing <i>Inactive.</i>
<b>E360</b>	NCP Locate	Invalid Res Zip code <i>Residential-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E361</b>	NCP Locate	Mandatory Res State Missing <i>Inactive.</i>
<b>E362</b>	NCP Locate	Invalid Home/Work Phone number <i>Inactive.</i>
<b>E363</b>	NCP Locate	Mandatory Res Address eff. Date Missing <i>Residential-Address-Effective-Date is required if Residential-Address-Line-1 is present.</i>
<b>E364</b>	NCP Locate	Invalid Res Addr eff. Date <i>Residential-Address-Effective-Date must contain digits only. Digits must not be in consecutive order.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E365</b>	NCP Locate	Invalid Res. Addr End Date <i>Residential-Address-End-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E366</b>	NCP Locate	Mandatory Mailing last address Date Missing <i>Inactive.</i>
<b>E367</b>	NCP Locate	Mandatory Res last address Date Missing <i>Inactive.</i>
<b>E368</b>	NCP Locate	Mailing addr Eff Date >= Mailing addr End. Date <i>Inactive.</i>
<b>E369</b>	NCP Locate	Mailing addr Conf Ind. not (y,n) <i>Inactive.</i>
<b>E370</b>	NCP Locate	Invalid Mailing Last State <i>Last-Mail-State must be a valid state code.</i>
<b>E371</b>	NCP Locate	Invalid Mailing Last Zip code <i>Inactive.</i>
<b>E372</b>	NCP Locate	Invalid Mailing last Addr Date <i>Last-Mail-Address-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E373</b>	NCP Locate	Invalid Res last State <i>Last-Res.-State must be a valid state code.</i>
<b>E374</b>	NCP Locate	Invalid Res last zip <i>Last-Res.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E375</b>	NCP Locate	Invalid Res last addr Date <i>Inactive.</i>
<b>E376</b>	NCP Locate	Invalid Drivers License State <i>Drivers-License-State must be a valid state code.</i>
<b>E377</b>	NCP Locate	Invalid Employer EIN <i>Employer-EIN must be filled with digits only. Digits must not be in consecutive order.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E378</b>	NCP Locate	Mandatory Employer name is Missing <i>Employer-Name must be present for PAT and EST Requests or Updates if the second character of Action-Reason is S.</i> <i>For ENF Requests or Updates, either Mailing-Address-Line-1, Residential-Address-Line-1, or Employer-Name is required.</i>
<b>E379</b>	NCP Locate	Invalid Employer Zip code <i>Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E380</b>	NCP Locate	Invalid Employer State code <i>Employer-State must be a valid state code.</i>
<b>E381</b>	NCP Locate	Mandatory Employer Address Missing <i>Employer-Address-Line-1 is required if Employer-Name is present and the transaction is an ENF Request or ENF Response.</i>
<b>E382</b>	NCP Locate	Invalid employer phone number <i>Employer-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E383</b>	NCP Locate	Mandatory Employer effective Date is Missing <i>Employer-Effective-Date is required when the Employer-Name is present.</i>
<b>E384</b>	NCP Locate	Invalid Employer effective Date <i>Employer-Effective-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E385</b>	NCP Locate	Mandatory Employer end Date is Missing <i>Inactive.</i>
<b>E386</b>	NCP Locate	Invalid Employer end Date <i>Employer-End-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E387</b>	NCP Locate	Employer effective Date >= Employer end Date <i>Inactive.</i>
<b>E388</b>	NCP Locate	Invalid Employer confirm ind <i>Employer-Confirmed-Ind. must be either Y or N.</i>
<b>E389</b>	NCP Locate	Mandatory Employer confirm ind Missing <i>Employer-Confirmed-Ind. is required when the Employer-Name is present.</i>
<b>E390</b>	NCP Locate	Invalid Last Mailing State <i>Last-Mail-State must be a valid state code.</i>



<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E391</b>	NCP Locate	Invalid Last Res State <i>Last-Res.-State must be a valid state code.</i>
<b>E392</b>	NCP Locate	Invalid Last Res Address Date <i>Last-Res.-Address-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E393</b>	NCP Locate	Mandatory Last Res Address Date is Missing <i>Inactive.</i>
<b>E394</b>	NCP Locate	Invalid Last Mailing address Date <i>Inactive.</i>
<b>E395</b>	NCP Locate	Mandatory Last Mailing address Date Missing <i>Inactive.</i>
<b>E396</b>	NCP Locate	Invalid last Employer State <i>Last-Employer-State must be a valid state code.</i>
<b>E397</b>	NCP Locate	Invalid last Employer Date <i>Last-Employer-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E398</b>	NCP Locate	Mandatory last employer Date is Missing <i>Inactive.</i>
<b>E399</b>	NCP Locate	Invalid Mailing last zip <i>Last-Mail-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E400</b>	NCP Locate	Invalid Res last zip code <i>Last-Res.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E401</b>	NCP Locate	Invalid last Employer zip code <i>Last-Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E402</b>	Participant	Participant is Missing in Non-Custodial parent <i>Inactive.</i>
<b>E403</b>	Participant	Mandatory name is Missing in Participant data <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E404</b>	Participant	Invalid SSN in Participant data <i>SSN must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E405</b>	Participant	Mandatory SSN in Participant data Missing <i>Inactive.</i>
<b>E406</b>	Participant	Mandatory Date of birth in Part Missing <i>Date-Of-Birth is required for the following transactions: PAT Requests and Updates; and EST and ENF Requests and Updates if the relationship code is D.</i>
<b>E407</b>	Participant	Invalid Date of birth in Participant data <i>Inactive.</i>
<b>E408</b>	Participant	Invalid Gender code in Participant data <i>Inactive.</i>
<b>E409</b>	Participant	Mandatory Gender code in Part data Missing <i>Inactive.</i>
<b>E410</b>	Participant	Invalid Race code in Participant data <i>Inactive.</i>
<b>E411</b>	Participant	Invalid Relationship code in Participant data <i>Relationship code must be either an A, C, D, P, or S.</i>
<b>E412</b>	Participant	Mandatory Rel. in Participant data Missing <i>Relationship is required if a Participant's Name-Last and Name-First are entered for LOI, PAT, EST, or ENF Requests, Updates ,or Responses.</i>
<b>E413</b>	Participant	Invalid Participant Status <i>Participant-Status must either be O or C.</i>
<b>E414</b>	Participant	Mandatory Participant Status Missing <i>Participant-Status is required if a participant's Name-Last and Name-First are entered.</i>
<b>E415</b>	Participant	Invalid dependent Relation CP <i>Dependent-Relation-CP must be either a A, C, F, G, E, N, O, U, W, or S.</i>
<b>E416</b>	Participant	Mandatory Dependent Relation CP Missing <i>Dependent-Relation-CP is required for PAT Requests or Updates if the Relationship code is D.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E417</b>	Order	Invalid Order FIPS code <i>Inactive.</i>
<b>E418</b>	Order	Mandatory Order ID Missing <i>Order-ID is required.</i>
<b>E419</b>	Order	Invalid Order Filing Date <i>Inactive.</i>
<b>E420</b>	Order	Mandatory Order filing Date Missing <i>Order-Filing-Date is required for all transactions except for CSI Requests, Updates, or Responses.</i>
<b>E421</b>	Order	Invalid Order type <i>Order-Type must be a A, J, or P.</i>
<b>E422</b>	Order	Invalid Debt type <i>Debt-Type must be a CS, SS, or MS.</i>
<b>E423</b>	Order	Duplicate key in Order data block <i>Inactive.</i>
<b>E424</b>	Order	Invalid Order Freq Code <i>Order-Freq. must either be a W, B, S, M, Q, E, or A.</i>
<b>E425</b>	Order	Invalid Order Freq Amount <i>Order-Freq.-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E426</b>	Order	Invalid Order effective Date <i>Inactive.</i>
<b>E427</b>	Order	Invalid Order end Date <i>Inactive.</i>
<b>E428</b>	Order	Order end Date < Order eff. Date <i>Order-End-Date must be greater than the Order-Effective-Date.</i>
<b>E429</b>	Order	Invalid Order cancel Date <i>Inactive.</i>
<b>E430</b>	Order	Order cancel Date < Order filing Date <i>Inactive.</i>
<b>E431</b>	Order	Invalid Medical Order Indicator <i>Medical-Ordered must either be Y or N.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E432</b>	Order	Mandatory Medical Order Indicator Missing <i>Inactive.</i>
<b>E433</b>	Order	Invalid Order Arrears Freq. <i>Order-Arrears-Freq. must either be a W, B, S, M, Q, E, or A.</i>
<b>E434</b>	Order	Mandatory Order Arrears Freq. Missing <i>Order-Arrears-Freq. is required if Order-Arrears-Freq.-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.</i>
<b>E435</b>	Order	Invalid Order Arrears Freq Amount <i>Order-Arrears-Freq.-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E436</b>	Order	Mandatory Order Arrears Freq. Amount Missing <i>Order-Arrears-Freq.-Amount is required if Order-Arrears-Freq. is present for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses. Note: Order-Arrears-Freq.-Amount can equal zero dollars.</i>
<b>E437</b>	Order	Invalid Order Arrears Total Amount <i>Order-Arrears-Total-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E438</b>	Order	Mandatory Order Arrears Total Amount Missing <i>Order-Arrears-Total-Amount is required if Order-Arrears-Freq. is present and Order-Arrears-Freq.-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses. Note: Order-Arrears-Freq.-Amount can equal zero dollars.</i>
<b>E439</b>	Order	Invalid Arrears TANF From Date <i>Inactive.</i>
<b>E440</b>	Order	Invalid Arrears TANF Thru Date <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E441</b>	Order	Arrears TANF Thru Date < TANF From Date <i>Arrears-TANF-Thru-Date must be greater than Arrears-TANF-From-Date.</i>
<b>E442</b>	Order	Invalid Arrears TANF Amount <i>Arrears-TANF-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E443</b>	Order	Invalid Arrears Non TANF From Date <i>Inactive.</i>
<b>E444</b>	Order	Invalid Arrears Non TANF Thru Date <i>Inactive.</i>
<b>E445</b>	Order	Arrears non TANF Thru Date < non TANF From Date <i>Arrears-Non-TANF-Thru-Date must be greater than Arrears-Non-TANF-From-Date.</i>
<b>E446</b>	Order	Mandatory Non TANF From Date Missing <i>Arrears-Non-TANF-From-Date is required if Arrears-Non-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses.</i>
<b>E447</b>	Order	Invalid Arrears Non TANF Amount <i>Arrears-Non-TANF-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E448</b>	Order	Invalid Foster care From Date <i>Inactive.</i>
<b>E449</b>	Order	Invalid Foster care Thru Date <i>Inactive.</i>
<b>E450</b>	Order	Foster Care Thru Date < Foster Care From Date <i>Foster-Care-Thru-Date must be greater than Foster-Care-From-Date.</i>
<b>E451</b>	Order	Invalid Foster care Amount <i>Foster-Care-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E452</b>	Order	CODE OF ACTION CODE <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E453</b>	Order	Invalid Medical From Date <i>Inactive.</i>
<b>E454</b>	Order	Invalid Medical Thru Date <i>Inactive.</i>
<b>E455</b>	Order	Medical Thru Date < Medical From Date <i>Medical-Thru-Date must be greater than Medical-From-Date.</i>
<b>E456</b>	Order	Invalid Medical Amount <i>Medical-Amount must be in \$99999999.99 format. The \$ denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.</i>
<b>E457</b>	Collection	Invalid Collection Date <i>Inactive.</i>
<b>E459</b>	NCP-ID	Invalid Eye color <i>Eye-Color must be BU, BN, DK, GN, GY, HZ, or OT.</i>
<b>E461</b>	NCP Locate	Mandatory Res. address confirm Ind is Missing <i>Residential-Address-Confirmed-Ind. is required if the Residential-Address-Line-1 is present.</i>
<b>E462</b>	NCP Locate	Invalid Res. Address confirm Ind. <i>Residential-Address-Confirmed Ind. must be Y, N, or P.</i>
<b>E463</b>	Collection	Invalid Posting Date <i>Inactive.</i>
<b>E464</b>	Collection	Posting Date <= Collection Date <i>Date-Of-Posting must be equal to or greater than Date-Of-Collection if both have been entered.</i>
<b>E465</b>	Collection	Invalid Payment Amount <i>Payment-Amount must be in \$99999999.99 format. The \$ denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Payment-Amount cannot equal +0000000.00.</i>
<b>E466</b>	Collection	Invalid Payment Source <i>Payment-Source must either be a A, G, I, S, U, N, O, or W.</i>
<b>E467</b>	Collection	Invalid Interstate Payment method <i>Interstate-Payment-Method must either be E, M, or O.</i>
<b>E468</b>	Information	Invalid Status Change Code <i>Status-Change-Code must either be O or C.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E469</b>	Information	Mandatory Status Change Code Missing <i>Status-Change-Code is required.</i>
<b>E470</b>	Case	Mandatory CP Zip code Missing <i>Inactive.</i>
<b>E471</b>	Case	Invalid CP Zip code <i>Inactive.</i>
<b>E472</b>	Case	Mandatory Payment Zip code is Missing <i>Inactive.</i>
<b>E473</b>	Case	Invalid Payment Zip code <i>Payment-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E474</b>	Participant	Invalid Rel./Dependent Rel. combination <i>Inactive.</i>
<b>E475</b>	NCP Locate	Mandatory Mailing State is Missing <i>Inactive.</i>
<b>E476</b>	Case	Mandatory Payment State is Missing <i>Inactive.</i>
<b>E477</b>	Case	Mandatory CP State is Missing <i>Inactive.</i>
<b>E478</b>	Order	Mandatory Arrears From/Thru TANF Date Missing <i>Inactive.</i>
<b>E479</b>	Order	Mandatory Arrears TANF Amount Missing <i>Inactive.</i>
<b>E480</b>	Order	Mandatory Foster care Amount Missing <i>Inactive.</i>
<b>E481</b>	Order	Mandatory Medical Amount Missing <i>Inactive.</i>
<b>E482</b>	Order	Mandatory Arrears Non TANF Amount Missing <i>Inactive.</i>
<b>E483</b>	Order	Mandatory Foster care From/Thru Date Missing <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E484</b>	Order	Mandatory Medical From Date Missing <i>Medical-From-Date is required if Medical-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses.</i>
<b>E485</b>	Case	Mandatory Case-Type is Missing <i>Inactive.</i>
<b>E486</b>	Case	Mandatory Case-status is Missing <i>Inactive.</i>
<b>E487</b>	NCP Locate	Mandatory Mailing/Res. Address is Missing <i>Inactive.</i>
<b>E488</b>	NCP Locate	Mandatory Residential Address is Missing <i>Inactive.</i>
<b>E489</b>	Order	Mandatory Debt type Missing <i>Debt-Type is required.</i>
<b>E490</b>	Order	Mandatory Order Frequency is Missing <i>Order-Freq. is required when the Order-Freq.-Amount is greater than zero.</i>
<b>E491</b>	Order	Mandatory Order Frequency Amount is Missing <i>Order-Freq.-Amount is required unless the Order-Arrears-Total-Amount is equal to or greater than zero.</i>
<b>E492</b>	Collection	Mandatory Collection Date is Missing <i>Date-Of-Collection is required for all COL transactions.</i>
<b>E493</b>	Collection	Mandatory Posting Date is Missing <i>Date-Of-Posting is required for all COL transactions.</i>
<b>E494</b>	Collection	Mandatory Payment Amount is Missing <i>Payment-Amount is required for all COL transactions.</i>
<b>E495</b>	Collection	Mandatory Payment Source is Missing <i>Payment-Source is required for all COL transactions.</i>
<b>E496</b>	Collection	Mandatory Interstate Payment Method Missing <i>Interstate-Payment-Method is required for all COL transactions.</i>



<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E497</b>	Order	Mandatory Order Effective Date missing <i>Order-Effective-Date is required for the following transactions: ENF Requests and Updates; EST and ENF Responses; and PAT Responses if Order-Type does not equal P.</i>
<b>E498</b>	Order	Mandatory Order End Date missing <i>Inactive.</i>
<b>E499</b>	Header	Mandatory Action Reason Missing <i>Action-Reason is required for CSI transactions.</i>
<b>E500</b>	Header	Mandatory Other Case ID Missing <i>Inactive.</i>
<b>E501</b>	NCP Locate	Mandatory Mailing Addr. Confirm Ind. Missing <i>Inactive.</i>
<b>E502</b>	Order	Mandatory Order type missing <i>Inactive.</i>
<b>E503</b>	Case	Mandatory Payment Mailing Address Line1 missing <i>Payment-Mail-Address-Line 1 is required for EST, ENF Requests and Updates.</i>
<b>E504</b>	Case	Mandatory Payment City is Missing <i>Inactive.</i>
<b>E505</b>	Case	Mandatory CP City is Missing <i>Inactive.</i>
<b>E506</b>	Header	Invalid Due Date <i>Inactive.</i>
<b>E509</b>	NCP-ID	Invalid Alias 1 Social Security Number <i>Alias-SSN-1 must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E510</b>	NCP-ID	Invalid Alias 2 Social Security Number <i>Alias-SSN-2 must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E511</b>	NCP-ID	Invalid Height in Feet <i>Height-Ft. must be filled with digits only. Height-Ft. cannot be zero. Height-Ft. is required if Height-In. is present.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E512</b>	NCP-ID	Invalid Height in Inches <i>Height-In. must be filled with digits only. Height-In. can be 00 –11 only. Height-In. is required if Height-Ft. is present.</i>
<b>E513</b>	NCP Locate	Invalid Wage Quarter <i>Wage-Qtr must be either a 1, 2, 3, or 4.</i>
<b>E514</b>	NCP Locate	Invalid Wage Year <i>Wage-Year must be between 1900 and 2099.</i>
<b>E515</b>	NCP Locate	Invalid Wage Amount <i>Wage-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Wage-Amount cannot equal +0000000.00.</i>
<b>E516</b>	NCP-ID	All Wage Fields must be filled or blank <i>Inactive.</i>
<b>E517</b>	Header	Information Blk Required with Attachments <i>Information-Ind. must be 1 if the Attachments-Ind. equals Y. An Information data block must be included in the transaction.</i>
<b>E518</b>	Other	Parent and Dependent Records Required <i>Inactive.</i>
<b>E519</b>	Header	Action Resolution Date Required <i>Inactive.</i>
<b>E520</b>	Other	Maximum Locate Requests Exceeded <i>Inactive.</i>
<b>E521</b>	Information	Attachments List Must Be Included <i>Either Information-Text-Line-1, -2 or -3 must contain data if the Attachments-Ind. equals Y.</i>
<b>E522</b>	Case	Invalid Fax Field <i>Fax must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E523</b>	Case	Invalid State With CEJ <i>State-With-CEJ must be a valid state code.</i>
<b>E524</b>	Order	Invalid Date Of Last Payment <i>Inactive.</i>
<b>E525</b>	Order	Invalid Controlling Order Flag <i>Controlling-Order-Flag must either be P or D.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E526</b>	Participant	Invalid Participant State <i>Participant-State must be a valid state code.</i>
<b>E527</b>	Participant	Invalid Participant Zip 1 <i>Participant-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E528</b>	Participant	Invalid Participant Zip 2 <i>Participant-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E529</b>	Participant	Invalid Address Confirmed Field <i>Address-Confirmed must either be Y, N, or " " (space).</i>
<b>E530</b>	Participant	Invalid Date Address Confirmed Field <i>Date-Address-Confirmed must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E531</b>	NCP Locate	Invalid Employer State <i>Inactive.</i>
<b>E532</b>	NCP Locate	Invalid Employer Zip 1 <i>Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E533</b>	NCP Locate	Invalid Employer Zip 2 <i>Employer-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E535</b>	Participant	Invalid Employer Confirmed Field <i>Employer-Confirmed must be either a Y, N, or " " (space).</i>
<b>E536</b>	Participant	Invalid Date Employer Confirmed Field <i>Date-Employer-Confirmed must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E537</b>	NCP Locate	Invalid Work Phone Field <i>Work-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E538</b>	Participant	Invalid Dependent Child State Of Residence Field <i>Dependent-Child-State-Of-Residence must be a valid state code.</i>
<b>E539</b>	Case	Invalid Nondisclosure Findings Field <i>Nondisclosure-Finding must be either Y, N, or " " (space).</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E540</b>	NCP-ID	Invalid Possibly Dangerous Field <i>Possibly-Dangerous must either be Y, N, or " " (space).</i>
<b>E541</b>	NCP Locate	Invalid Employer2 EIN Field <i>Employer2-EIN must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E542</b>	NCP Locate	Invalid Employer2 Zip1 Field <i>Employer2-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E543</b>	NCP Locate	Invalid Employer2 Zip2 Field <i>Employer2-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E544</b>	NCP Locate	Invalid Employer2 State Field <i>Employer2-State must be a valid state code.</i>
<b>E545</b>	NCP Locate	Invalid Employer2 Phone Number Field <i>Employer2-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E546</b>	NCP Locate	Invalid Employer2 Effective Date Field <i>Employer2-Effective-Date must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E547</b>	NCP Locate	Invalid Employer2 End Date Field <i>Employer2-End-Date must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E548</b>	NCP Locate	Invalid Employer2 Confirmed Indicator Field <i>Employer2-Confirmed-Ind. must either be Y or N.</i>
<b>E549</b>	NCP Locate	Invalid Wage2 Quarter Field <i>Wage2-Qtr must be either a 1, 2, 3, or 4.</i>
<b>E550</b>	NCP Locate	Invalid Wage2 Year Field <i>Wage2-Year must be between 1900 and 2099 inclusive.</i>
<b>E551</b>	NCP Locate	Invalid Wage2 Amount Field <i>Wage2-Amount must be in \$99999999.99 format. The \$ denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Wage2-Amount cannot equal +0000000.00.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E552</b>	NCP Locate	Invalid Employer3 EIN Field <i>Employer3-EIN must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E553</b>	NCP Locate	Invalid Employer3 Zip1 Field <i>Employer3-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E554</b>	NCP Locate	Invalid Employer3 Zip2 Field <i>Employer3-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E555</b>	NCP Locate	Invalid Employer3 State Field <i>Employer3-State must be a valid state code.</i>
<b>E556</b>	NCP Locate	Invalid Employer3 Phone Number Field <i>Employer3-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E557</b>	NCP Locate	Invalid Employer3 Effective Date Field <i>Employer3-Effective-Date must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E558</b>	NCP Locate	Invalid Employer3 End Date Field <i>Employer3-End-Date must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E559</b>	NCP Locate	Invalid Employer3 Confirmed Indicator Field <i>Employer3-Confirmed-Ind. must either be Y or N.</i>
<b>E560</b>	NCP Locate	Invalid Wage3 Quarter Field <i>Wage3-Qtr must be either a 1, 2, 3, or 4.</i>
<b>E561</b>	NCP Locate	Invalid Wage3 Year Field <i>Wage3-Year must be between 1900–2099.</i>
<b>E562</b>	NCP Locate	Invalid Wage3 Amount Field <i>Wage3-Amount must be in \$99999999.99 format. The \$ denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Wage3-Amount can not equal +0000000.00.</i>
<b>E563</b>	Order	Invalid New Order Flag Field <i>New-Order-Flag must either be Y, N, or " " (space).</i>
<b>E564</b>	Case	Invalid Payment FIPS State Field <i>Payment-FIPS-State must be valid according to the IRG.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E565</b>	Case	Invalid Payment FIPS County Field <i>Payment-FIPS-County must be valid according to the IRG.</i>
<b>E566</b>	Case	Invalid Payment FIPS Sub Field <i>Inactive.</i>
<b>E567</b>	Participant	Invalid Dependent Paternity Status Field <i>Dependent-Paternity-Status must either be Y, N, or " " (space).</i>
<b>E568</b>	Header	Invalid Data Block Format – Coll Data Blk required <i>Inactive.</i>
<b>E569</b>	Header	Mandatory Other Case ID is Missing <i>Other-Case-ID is required for Responses, Acknowledgments, and CSI transactions except CSI P RINIT and CSI P RRESP.</i>
<b>E570</b>	Header	Invalid Combo – FunctType, Reason Cd, and Action Cd <i>Inactive.</i>
<b>E571</b>	Case	Invalid Send Payments Bank Account <i>Send-Payments-Bank-Account must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E572</b>	Case	Invalid Send Payments Routing Code <i>Send-Payments-Routing-Code must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E573</b>	Participant	Invalid-Participant Address Line1 required <i>Inactive.</i>
<b>E574</b>	Participant	Invalid-Participant City required <i>Inactive.</i>
<b>E575</b>	Participant	Mandatory Participant State is Missing <i>Inactive.</i>
<b>E576</b>	Case	Invalid Payment FIPS Code Required <i>Inactive.</i>
<b>E577</b>	NCP Locate	Invalid Last Employer Effective Date Field <i>Last-Employer-Eff.-Date must contain digits only. Digits must not be in consecutive order.</i>
<b>E578</b>	Participant	Mandatory Participant Zip Code is Missing <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E579</b>	NCP Locate	ALL Wage2 Fields must be filled or blank <i>Inactive.</i>
<b>E580</b>	NCP Locate	ALL Wage3 Fields must be filled or blank <i>Inactive.</i>
<b>E581</b>	NCP Locate	Mandatory Employer2 Address Missing <i>Inactive.</i>
<b>E582</b>	NCP Locate	Mandatory Employer2 effective Date is Missing <i>Employer2-Effective-Date is required if Employer2-Address-Line-1 is present.</i>
<b>E583</b>	NCP Locate	Mandatory Employer2 End Date is Missing <i>Inactive.</i>
<b>E584</b>	NCP Locate	Mandatory Employer2 Confirm Ind. Missing <i>Employer2-Confirmed-Ind. must be either a Y or N.</i>
<b>E585</b>	NCP Locate	Mandatory Employer3 Address Missing <i>Employer3-Address-Line-1 is required for ENF Requests and LO1 Responses if the Employer3-Name is present.</i>
<b>E586</b>	NCP Locate	Mandatory Employer3 Effective Date is Missing <i>Employer3-Effective-Date is required if Employer3-Address-Line-1 is present.</i>
<b>E587</b>	NCP Locate	Mandatory Employer3 End Date is Missing <i>Inactive.</i>
<b>E588</b>	NCP Locate	Mandatory Employer3 Confirm Ind. Missing <i>Employer3-Confirmed-Ind. must be either Y or N.</i>
<b>E589</b>	Header	Mandatory CASE AND/OR PARTICIPANT datablk Missing <i>Inactive.</i>
<b>E600</b>	Header	Mandatory Local FIPS State Required <i>Local-FIPS-State is required.</i>
<b>E601</b>	Header	Mandatory Local FIPS County Required <i>Local-FIPS-County is required.</i>
<b>E602</b>	Header	Mandatory Other FIPS State Required <i>Other-FIPS-State is required.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E603</b>	Header	Mandatory Other FIPS County Required <i>Other-FIPS-County is required.</i>
<b>E604</b>	Header	CSENet version number does not equal 003 <i>CSENet 2000-Version-Number must equal 003.</i>
<b>E605</b>	Header	Mandatory Transaction Serial Number is missing <i>Transaction-Serial-Number is required.</i>
<b>E606</b>	Header	Transaction Serial Number must be one or greater <i>Transaction-Serial-Number must contain only digits and not equal all zeros. The value, which is a unique sequential number assigned to each transaction, must be right-justified and zero-filled to the left.</i>
<b>E607</b>	Header	Transaction Date is not century compliant <i>The century of Transaction-Date must be either 19 or 20.</i>
<b>E608</b>	Header	Transaction Date Century is not valid <i>Inactive.</i>
<b>E609</b>	Header	Transaction Date Month is not valid <i>The month of Transaction-Date must be between 01 and 12.</i>
<b>E610</b>	Header	Transaction Date Day is not valid for leap year <i>The day of Transaction-Date for leap year must be between 01 and 29.</i>
<b>E611</b>	Header	Transaction Date Day is not valid <i>The day of Transaction-Date must be between 01 and 31.</i>
<b>E612</b>	Header	Transaction Date is not numeric <i>Transaction-Date must contain digits in the CCYYMMDD format.</i>
<b>E613</b>	Header	Sent Date is not century compliant <i>Inactive.</i>
<b>E614</b>	Header	Sent Date Century is not valid <i>Inactive.</i>
<b>E615</b>	Header	Sent Date Month is not valid <i>Inactive.</i>
<b>E616</b>	Header	Sent Date Day is not valid for leap year <i>Inactive.</i>



<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E617</b>	Header	Sent Date Day is not valid <i>Inactive.</i>
<b>E618</b>	Header	Sent Date is not numeric <i>Inactive</i>
<b>E619</b>	Case	Mandatory Case Type missing <i>Case-Type is required.</i>
<b>E620</b>	Case	Invalid Case Type <i>Case-Type must either be a A, N, F, R, C, V, M, S or T.</i>
<b>E621</b>	Case	Mandatory Payment State is missing <i>Inactive.</i>
<b>E622</b>	NCP Locate	Mailing Address Eff Date is not century compliant <i>The century of Mailing-Address-Effective-Date must be either 19 or 20.</i>
<b>E623</b>	NCP Locate	Mailing Address Eff Date Century is not valid <i>Mailing-Address-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E624</b>	NCP Locate	Mailing Address Eff Date Month is not valid <i>The month of Mailing-Address-Effective-Date must be between 01 and 12.</i>
<b>E625</b>	NCP Locate	Mailing Address Eff Date Day is not valid for leap year <i>The day of Mailing-Address-Effective-Date for leap year must be between 01 and 29.</i>
<b>E626</b>	NCP Locate	Mailing Address Eff Date Day is not valid <i>The day of Mailing-Address-Effective-Date must be between 01 and 31.</i>
<b>E627</b>	NCP Locate	Mailing Address Eff Date is not numeric <i>Inactive.</i>
<b>E628</b>	NCP Locate	Mailing Address End Date is not century compliant <i>The century of Mailing-Address-End-Date must be either 19 or 20.</i>
<b>E629</b>	NCP Locate	Mailing Address End Date Century is not valid <i>Mailing-Address-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E630</b>	NCP Locate	Mailing Address End Date Month is not valid <i>The month of Mailing-Address-End-Date must be between 01 and 12.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E631</b>	NCP Locate	Mailing Address End Date Day is not valid for leap year <i>The day of Mailing-Address-End-Date for leap year must be between 01 and 29.</i>
<b>E632</b>	NCP Locate	Mailing Address End Date Day is not valid <i>The day of Mailing-Address-End-Date must be between 01 and 31.</i>
<b>E633</b>	NCP Locate	Mailing Address End Date is not numeric <i>Mailing-Address-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E634</b>	NCP Locate	Employer Eff Date is not century compliant <i>The century of Employer-Effective-Date must be either 19 or 20.</i>
<b>E635</b>	NCP Locate	Employer Eff Date Century is not valid <i>Employer-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E636</b>	NCP Locate	Employer Eff Date Month is not valid <i>The month of Employer-Effective-Date must be between 01 and 12.</i>
<b>E637</b>	NCP Locate	Employer Eff Date Day is not valid for leap year <i>The day of Employer-Effective-Date for leap year must be between 01 and 29.</i>
<b>E638</b>	NCP Locate	Employer Eff Date Day is not valid <i>The day of Employer-Effective-Date must be between 01 and 31.</i>
<b>E639</b>	NCP Locate	Employer Eff Date is not numeric <i>Inactive.</i>
<b>E640</b>	NCP Locate	Employer End Date is not century compliant <i>The century of Employer-End-Date must be either 19 or 20.</i>
<b>E641</b>	NCP Locate	Employer End Date Century is not valid <i>Mailing-Address-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E642</b>	NCP Locate	Employer End Date Month is not valid <i>The month of Employer-End-Date must be between 01 and 12.</i>
<b>E643</b>	NCP Locate	Employer End Date Day is not valid for leap year <i>The day of Employer-End-Date for leap year must be between 01 and 29.</i>
<b>E644</b>	NCP Locate	Employer End Date Day is not valid <i>The day of Employer-End-Date must be between 01 and 31.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E645</b>	NCP Locate	Employer End Date is not numeric <i>Inactive.</i>
<b>E646</b>	NCP Locate	Last Mail Address Date is not century compliant <i>The century of Last-Mail-Address-Date must be either 19 or 20.</i>
<b>E647</b>	NCP Locate	Last Mail Address Date Century is not valid <i>Last-Mailing-Address-Date must contain digits in the CCYYMMDD format.</i>
<b>E648</b>	NCP Locate	Last Mail Address Date Month is not valid <i>The month of Last-Mail-Address-Date must be between 01 and 12.</i>
<b>E649</b>	NCP Locate	Last Mail Address Date Day is not valid for leap year <i>The day of Last-Mail-Address-Date for leap year must be between 01 and 29.</i>
<b>E650</b>	NCP Locate	Last Mail Address Date Day is not valid <i>The day of Last-Mail-Address-Date must be between 01 and 31.</i>
<b>E651</b>	NCP Locate	Last Mail Address Date is not numeric <i>Inactive.</i>
<b>E652</b>	NCP Locate	Last Employer Date is not century compliant <i>Inactive.</i>
<b>E653</b>	NCP Locate	Last Employer Date Century is not valid <i>Inactive.</i>
<b>E654</b>	NCP Locate	Last Employer Date Month is not valid <i>Inactive.</i>
<b>E655</b>	NCP Locate	Last Employer Date Day is not valid for leap year <i>Inactive.</i>
<b>E656</b>	NCP Locate	Last Employer Date Day is not valid <i>Inactive.</i>
<b>E657</b>	NCP Locate	Last Employer Date is not numeric <i>Inactive.</i>
<b>E658</b>	NCP Locate	Last Employer Eff Date is not century compliant <i>The century of Last-Employer-Eff.-Date must be either 19 or 20.</i>
<b>E659</b>	NCP Locate	Last Employer Eff Date Century is not valid <i>Last-Employer-Eff.-Date must contain digits in the CCYYMMDD format.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E660</b>	NCP Locate	Last Employer Eff Date Month is not valid <i>The month of Last-Employer-Eff.-Date must be between 01 and 12.</i>
<b>E661</b>	NCP Locate	Last Employer Eff Date Day is not valid for leap year <i>The day of Last-Employer-Eff.-Date for leap year must be between 01 and 29.</i>
<b>E662</b>	NCP Locate	Last Employer Eff Date Day is not valid <i>The day of Last-Employer-Eff.-Date must be between 01 and 31.</i>
<b>E663</b>	NCP Locate	Last Employer Eff Date is not numeric <i>Inactive.</i>
<b>E664</b>	NCP Locate	Employer2 Eff Date is not century compliant <i>The century of Employer2-Effective-Date must be either 19 or 20.</i>
<b>E665</b>	NCP Locate	Employer2 Eff Date Century is not valid <i>Employer2-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E666</b>	NCP Locate	Employer2 Eff Date Month is not valid <i>The month of Employer2-Effective-Date must be between 01 and 12.</i>
<b>E667</b>	NCP Locate	Employer2 Eff Date Day is not valid for leap year <i>The day of Employer2-Effective-Date for leap year must be between 01 and 29.</i>
<b>E668</b>	NCP Locate	Employer2 Eff Date Day is not valid <i>The day of Employer2-Effective-Date must be between 01 and 31.</i>
<b>E669</b>	NCP Locate	Employer2 Eff Date is not numeric <i>Inactive.</i>
<b>E670</b>	NCP Locate	Employer2 End Date is not century compliant <i>The century of Employer2-End-Date must be either 19 or 20.</i>
<b>E671</b>	NCP Locate	Employer2 End Date Century is not valid <i>Employer2-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E672</b>	NCP Locate	Employer2 End Date Month is not valid <i>The month of Employer2-End-Date must be between 01 and 12.</i>
<b>E673</b>	NCP Locate	Employer2 End Date Day is not valid for leap year <i>The day of Employer2-End-Date for leap year must be between 01 and 29.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E674</b>	NCP Locate	Employer2 End Date Day is not valid <i>The day of Employer-End-Date must be between 01 and 31.</i>
<b>E675</b>	NCP Locate	Employer2 End Date is not numeric <i>Inactive.</i>
<b>E676</b>	NCP Locate	Employer3 Eff Date is not century compliant <i>The century of Employer3-Effective-Date must be either 19 or 20.</i>
<b>E677</b>	NCP Locate	Employer3 Eff Date Century is not valid <i>Employer3-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E678</b>	NCP Locate	Employer3 Eff Date Month is not valid <i>The month of Employer3-Effective-Date must be between 01 and 12.</i>
<b>E679</b>	NCP Locate	Employer3 Eff Date Day is not valid for leap year <i>The day of Employer3-Effective-Date for leap year must be between 01 and 29.</i>
<b>E680</b>	NCP Locate	Employer3 Eff Date Day is not valid <i>The day of Employer3-Effective-Date must be between 01 and 31.</i>
<b>E681</b>	NCP Locate	Employer3 Eff Date is not numeric <i>Inactive.</i>
<b>E682</b>	NCP Locate	Employer3 End Date is not century compliant <i>The century of Employer3-End-Date must be either 19 or 20.</i>
<b>E683</b>	NCP Locate	Employer3 End Date Century is not valid <i>Employer3-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E684</b>	NCP Locate	Employer3 End Date Month is not valid <i>The month of Employer3-End-Date must be between 01 and 12.</i>
<b>E685</b>	NCP Locate	Employer3 End Date Day is not valid for leap year <i>The day of Employer3-End-Date for leap year must be between 01 and 29.</i>
<b>E686</b>	NCP Locate	Employer3 End Date Day is not valid <i>The day of Employer3-End-Date must be between 01 and 31.</i>
<b>E687</b>	NCP Locate	Employer3 End Date is not numeric <i>Inactive.</i>
<b>E688</b>	Participant	Date Address Confirmed is not century compliant <i>The century of Date-Address-Confirmed must be either 19 or 20.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E689</b>	Participant	Date Address Confirmed Century is not valid <i>Date-Address-Confirmed must contain digits in the CCYYMMDD format.</i>
<b>E690</b>	Participant	Date Address Confirmed Month is not valid <i>The month of Date-Address-Confirmed must be between 01 and 12.</i>
<b>E691</b>	Participant	Date Address Confirmed Day is not valid for leap year <i>The day of Date-Address-Confirmed for leap year must be between 01 and 29.</i>
<b>E692</b>	Participant	Date Address Confirmed Day is not valid <i>The day of Date-Address-Confirmed must be between 01 and 31.</i>
<b>E693</b>	Participant	Date Address Confirmed is not numeric <i>Inactive.</i>
<b>E694</b>	Participant	Date Employer Confirmed is not century compliant <i>The century of Date-Employer-Confirmed must be either 19 or 20.</i>
<b>E695</b>	Participant	Date Employer Confirmed Century is not valid <i>Date-Employer-Confirmed must contain digits in the CCYYMMDD format.</i>
<b>E696</b>	Participant	Date Employer Confirmed Month is not valid <i>The month of Date-Employer-Confirmed must be between 01 and 12.</i>
<b>E697</b>	Participant	Date Employer Confirmed Day is not valid for leap year <i>The day of Date-Employer-Confirmed for leap year must be between 01 and 29.</i>
<b>E698</b>	Participant	Date Employer Confirmed Day is not valid <i>The day of Date-Employer-Confirmed must be between 01 and 31.</i>
<b>E699</b>	Participant	Date Employer Confirmed is not numeric <i>Inactive.</i>
<b>E700</b>	Order	Invalid Order FIPS State <i>Order-FIPS-State must be valid according to the IRG.</i>
<b>E701</b>	Order	Invalid Order FIPS County <i>Order-FIPS-County must be valid according to the IRG.</i>
<b>E702</b>	Order	Order Filing Date is not century compliant <i>The century of Order-Filing-Date must be either 19 or 20.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E703</b>	Order	Order Filing Date Century is not valid <i>Order-Filing-Date must contain digits in the CCYYMMDD format.</i>
<b>E704</b>	Order	Order Filing Date Month is not valid <i>The month of Order-Filing-Date must be between 01 and 12.</i>
<b>E705</b>	Order	Order Filing Date Day is not valid for leap year <i>The day of Order-Filing-Date for leap year must be between 01 and 29.</i>
<b>E706</b>	Order	Order Filing Date Day is not valid <i>The day of Order-Filing-Date must be between 01 and 31.</i>
<b>E707</b>	Order	Order Filing Date is not numeric <i>Order-Filing-Date must contain digits in the CCYYMMDD format.</i>
<b>E708</b>	Order	Order Effective Date is not century compliant <i>The century of Order-Effective-Date must be either 19 or 20.</i>
<b>E709</b>	Order	Order Effective Date Century is not valid <i>Order-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E710</b>	Order	Order Effective Date Month is not valid <i>The month of Order-Effective-Date must be between 01 and 12.</i>
<b>E711</b>	Order	Order Effective Date Day is not valid for leap year <i>The day of Order-Effective-Date for leap year must be between 01 and 29.</i>
<b>E712</b>	Order	Order Effective Date Day is not valid <i>The day of Order-Effective-Date must be between 01 and 31.</i>
<b>E713</b>	Order	Order Effective Date is not numeric <i>Order-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E714</b>	Order	Order End Date is not century compliant <i>The century of Order-End-Date must be either 19 or 20.</i>
<b>E715</b>	Order	Order End Date Century is not valid <i>Order-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E716</b>	Order	Order End Date Month is not valid <i>The month of Order-End-Date must be between 01 and 12.</i>
<b>E717</b>	Order	Order End Date Day is not valid for leap year <i>The day of Order-End-Date for leap year must be between 01 and 29.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E718</b>	Order	Order End Date Day is not valid <i>The day of Order-End-Date must be between 01 and 31.</i>
<b>E719</b>	Order	Order End Date is not numeric <i>Order-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E720</b>	Order	Order Cancel Date is not century compliant <i>The century of Order-Cancel-Date must be either 19 or 20.</i>
<b>E721</b>	Order	Order Cancel Date Century is not valid <i>Order-Cancel-Date must contain digits in the CCYYMMDD format.</i>
<b>E722</b>	Order	Order Cancel Date Month is not valid <i>The month of Order-Cancel-Date must be between 01 and 12.</i>
<b>E723</b>	Order	Order Cancel Date Day is not valid for leap year <i>The day of Order-Cancel-Date for leap year must be between 01 and 29.</i>
<b>E724</b>	Order	Order Cancel Date Day is not valid <i>The day of Order-Cancel-Date must be between 01 and 31.</i>
<b>E725</b>	Order	Order Cancel Date is not numeric <i>Order-Cancel-Date must contain digits in the CCYYMMDD format.</i>
<b>E726</b>	Order	Arrears TANF From Date is not century compliant <i>The century of Arrears-TANF-From-Date must be either 19 or 20.</i>
<b>E727</b>	Order	Arrears TANF From Date Century is not valid <i>Arrears-TANF-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E728</b>	Order	Arrears TANF From Date Month is not valid <i>The month of Arrears-TANF-From-Date must be between 01 and 12.</i>
<b>E729</b>	Order	Arrears TANF From Date Day is not valid for leap year <i>The day of Arrears-TANF-From-Date for leap year must be between 01 and 29.</i>
<b>E730</b>	Order	Arrears TANF From Date Day is not valid <i>The day of Arrears-TANF-From-Date must be between 01 and 31.</i>
<b>E731</b>	Order	Arrears TANF From Date is not numeric <i>Arrears-TANF-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E732</b>	Order	Arrears TANF Thru Date is not century compliant <i>The century of Arrears-TANF-Thru-Date must be either 19 or 20.</i>



<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E733</b>	Order	Arrears TANF Thru Date Century is not valid <i>Arrears-TANF-Thru-Date must contain digits in the CCYYMMDD format.</i>
<b>E734</b>	Order	Arrears TANF Thru Date Month is not valid <i>The month of Arrears-TANF-Thru-Date must be between 01 and 12.</i>
<b>E735</b>	Order	Arrears TANF Thru Date Day is not valid for leap year <i>The day of Arrears-TANF-Thru-Date for leap year must be between 01 and 29.</i>
<b>E736</b>	Order	Arrears TANF Thru Date Day is not valid <i>The day of Arrears-TANF-Thru-Date must be between 01 and 31.</i>
<b>E737</b>	Order	Arrears TANF Thru Date is not numeric <i>Arrears-TANF-Thru-Date must contain digits in the CCYYMMDD format.</i>
<b>E738</b>	Order	Arrears Non TANF From Date is not century compliant <i>Inactive.</i>
<b>E739</b>	Order	Arrears Non TANF From Date Century is not valid <i>Inactive.</i>
<b>E740</b>	Order	Arrears Non TANF From Date Month is not valid <i>Inactive.</i>
<b>E741</b>	Order	Arrears Non TANF From Date Day is not valid for leap year <i>Inactive</i>
<b>E742</b>	Order	Arrears Non TANF From Date Day is not valid <i>Inactive.</i>
<b>E743</b>	Order	Arrears Non TANF From Date is not numeric <i>Inactive.</i>
<b>E744</b>	Order	Arrears Non TANF Thru Date is not century compliant <i>The century of Arrears-Non-TANF-Thru-Date must be either 19 or 20.</i>
<b>E745</b>	Order	Arrears Non TANF Thru Date Century is not valid <i>Arrears-Non-TANF-Thru-Date must contain digits in the CCYYMMDD format.</i>
<b>E746</b>	Order	Arrears Non TANF Thru Date Month is not valid <i>The month of Arrears-Non-TANF-Thru-Date must be between 01 and 12.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E747</b>	Order	Arrears Non TANF Thru Date Day is not valid for leap year <i>The day of Arrears-Non-TANF-Thru-Date for leap year must be between 01 and 29.</i>
<b>E748</b>	Order	Arrears Non TANF Thru Date Day is not valid <i>The day of Arrears-Non-TANF-Thru-Date must be between 01 and 31.</i>
<b>E749</b>	Order	Arrears Non TANF Thru Date is not numeric <i>Arrears-Non-TANF-Thru-Date must contain digits in the CCYYMMDD format.</i>
<b>E750</b>	Order	Arrears Non TANF From Date is not century compliant <i>The century of Arrears-Non-TANF-From-Date must be either 19 or 20.</i>
<b>E751</b>	Order	Arrears Non TANF From Date Century is not valid <i>Arrears-Non-TANF-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E752</b>	Order	Arrears Non TANF From Date Month is not valid <i>The month of Arrears-Non-TANF-From-Date must be between 01 and 12.</i>
<b>E753</b>	Order	Arrears Non TANF From Date Day is not valid for leap year <i>The day of Arrears-Non-TANF-From-Date for leap year must be between 01 and 29.</i>
<b>E754</b>	Order	Arrears Non TANF From Date Day is not valid <i>The day of Arrears-Non-TANF-From-Date must be between 01 and 31.</i>
<b>E755</b>	Order	Arrears Non TANF From Date is not numeric <i>Arrears-Non-TANF-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E756</b>	Order	Arrears Non TANF Thru Date is not century compliant <i>Inactive.</i>
<b>E757</b>	Order	Arrears Non TANF Thru Date Century is not valid <i>Inactive.</i>
<b>E758</b>	Order	Arrears Non TANF Thru Date Month is not valid <i>Inactive.</i>
<b>E759</b>	Order	Arrears Non TANF Thru Date Day is not valid for leap year <i>Inactive.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E760</b>	Order	Arrears Non TANF Thru Date Day is not valid <i>Inactive.</i>
<b>E761</b>	Order	Arrears Non TANF Thru Date is not numeric <i>Inactive.</i>
<b>E762</b>	Order	Foster Care From Date is not century compliant <i>The century of Foster-Care-From-Date must be either 19 or 20.</i>
<b>E763</b>	Order	Foster Care From Date Century is not valid <i>Foster-Care-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E764</b>	Order	Foster Care From Date Month is not valid <i>The month of Foster-Care-From-Date must be between 01 and 12.</i>
<b>E765</b>	Order	Foster Care From Date Day is not valid for leap year <i>The day of Foster-Care-From-Date for leap year must be between 01 and 29.</i>
<b>E766</b>	Order	Foster Care From Date Day is not valid <i>The day of Foster-Care-From-Date for leap year must be between 01 and 31.</i>
<b>E767</b>	Order	Foster Care From Date is not numeric <i>Foster-Care-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E768</b>	Order	Foster Care Thru Date is not century compliant <i>The century of Foster-Care-Thru-Date must be either 19 or 20.</i>
<b>E769</b>	Order	Foster Care Thru Date Century is not valid <i>Foster-Care-Thru-Date must contain digits in the CCYYMMDD format.</i>
<b>E770</b>	Order	Foster Care Thru Date Month is not valid <i>The month of Foster-Care-Thru-Date must be between 01 and 12.</i>
<b>E771</b>	Order	Foster Care Thru Date Day is not valid for leap year <i>The day of Foster-Care-Thru-Date for leap year must be between 01 and 29.</i>
<b>E772</b>	Order	Foster Care Thru Date Day is not valid <i>The day of Foster-Care-Thru-Date must be between 01 and 31.</i>
<b>E773</b>	Order	Foster Care Thru Date is not numeric <i>Foster-Care-Thru-Date must contain digits in the CCYYMMDD format.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E774</b>	Order	Date of Last Payment is not century compliant <i>The century of Date-Of-Last-Payment must be either 19 or 20.</i>
<b>E775</b>	Order	Date of Last Payment Century is not valid <i>Date-of-Last-Payment must contain digits in the CCYYMMDD format.</i>
<b>E776</b>	Order	Date of Last Payment Month is not valid <i>The month of Date-Of-Last-Payment must be between 01 and 12.</i>
<b>E777</b>	Order	Date of Last Payment Day is not valid for leap year <i>The day of Date-Of-Last-Payment for leap year must be between 01 and 29.</i>
<b>E778</b>	Order	Date of Last Payment Day is not valid <i>The day of Date-Of-Last-Payment must be between 01 and 31.</i>
<b>E779</b>	Order	Date of Last Payment is not numeric <i>Date-Of-Last-Payment must contain digits in the CCYYMMDD format.</i>
<b>E780</b>	Collection	Mandatory Date of Collection is missing <i>Inactive.</i>
<b>E781</b>	Collection	Mandatory Date of Posting is missing <i>Inactive.</i>
<b>E782</b>	Collection	Mandatory Payment Amount is missing <i>Inactive.</i>
<b>E783</b>	Collection	Mandatory Payment Source is missing <i>Inactive.</i>
<b>E784</b>	Collection	Mandatory Interstate Payment Method is missing <i>Inactive.</i>
<b>E785</b>	Collection	Date of Collection is not century compliant <i>The century of Date-Of-Collection must be either 19 or 20.</i>
<b>E786</b>	Collection	Date of Collection Century is not valid <i>Date-of-Collection must contain digits in the CCYYMMDD format.</i>
<b>E787</b>	Collection	Date of Collection Month is not valid <i>The month of Date-Of-Collection must be between 01 and 12.</i>
<b>E788</b>	Collection	Date of Collection Day is not valid for leap year <i>The day of Date-Of-Collection for leap year must be between 01 and 29.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E789</b>	Collection	Date of Collection Day is not valid <i>The day of Date-of-Collection must be between 01 and 31.</i>
<b>E790</b>	Collection	Date of Collection is not numeric <i>Date-Of-Collection must contain digits in the CCYYMMDD format.</i>
<b>E791</b>	Collection	Date of Posting is not century compliant <i>The century of Date-Of-Posting must be either 19 or 20.</i>
<b>E792</b>	Collection	Date of Posting Century is not valid <i>Date-of-Posting must contain digits in the CCYYMMDD format.</i>
<b>E793</b>	Collection	Date of Posting Month is not valid <i>The month of Date-Of-Posting must be between 01 and 12.</i>
<b>E794</b>	Collection	Date of Posting Day is not valid for leap year <i>The day of Date-Of-Posting for leap year must be between 01 and 29.</i>
<b>E795</b>	Collection	Date of Posting Day is not valid <i>The day of Date-Of-Posting must be between 01 and 31.</i>
<b>E796</b>	Collection	Date of Posting is not numeric <i>Date-Of-Posting must contain digits in the CCYYMMDD format.</i>
<b>E797</b>	Information	Mandatory Status Change Code is missing <i>Inactive.</i>
<b>E798</b>	Header	Mandatory Transaction Date is missing <i>Transaction-Date is required.</i>
<b>E799</b>	Header	Mandatory Case Data Indicator is missing <i>Case-Data-Ind. is required.</i>
<b>E800</b>	Header	Mandatory NCP ID Indicator is missing <i>NCP-Identification Ind. is required.</i>
<b>E801</b>	Header	NCP ID Indicator is required <i>NCP-Identification-Ind. must be 1 for all transactions if the transaction is not a COL, MSC, or CSI transaction or if the Action-Code equals A, C, or M.</i>
<b>E802</b>	Header	Mandatory NCP Locate Indicator is missing <i>NCP-Locate-Data-Ind. is required.</i>
<b>E803</b>	Header	Mandatory Participant Indicator is missing <i>Participant-Data-Ind. is required.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E804</b>	Header	Mandatory Order Data Block Indicator is missing <i>Order-Data-Ind. is required.</i>
<b>E805</b>	Header	Mandatory Collection Indicator is missing <i>Collection-Data-Ind. is required.</i>
<b>E806</b>	Header	Mandatory Information Indicator is missing <i>Information-Ind. is required.</i>
<b>E807</b>	Header	Invalid Due Date- should be filled with spaces <i>Due-Date should be filled with spaces.</i>
<b>E808</b>	Header	Invalid Response Date – should be filled with spaces <i>Response-Date should be filled with spaces.</i>
<b>E809</b>	Case	Mandatory Case Status is missing <i>Case-Status is required.</i>
<b>E810</b>	Case	Invalid Case Status <i>Case-Status must be either an O or C.</i>
<b>E811</b>	Case	Mandatory Payment Zip 2 is missing <i>Inactive.</i>
<b>E812</b>	Case	Invalid Payment Zip 2 <i>Payment-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E813</b>	NCP-ID	Mandatory NCP First Name is missing <i>Name-First is required.</i>
<b>E814</b>	NCP-ID	Mandatory SSN is missing in NCP ID block <i>SSN is required for the following transactions: ENF Responses; and PAT, EST, ENF Requests and Updates. PAT, EST, and COL Responses if the Mailing-Address-Line-1, Residential-Address-Line-1, and Employer-Name fields in the NCP Locate data block are blank-filled.</i>
<b>E815</b>	NCP Locate	Mandatory res Address Ind is missing <i>Residential-Address-Confirmed-Ind. is required when Residential-Address-Line-1 is present.</i>
<b>E816</b>	NCP Locate	Invalid res Address Ind <i>Residential-Address-Confirmed-Ind. must either be Y, N, or P.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E817</b>	NCP Locate	Mandatory emp Name, Mail Address, or Res Address is missing <i>Either an Employer-Name, Mailing-Address-Line-1, or Residential-Address-Line-1 must be present for the following transactions:</i> <i>PAT and EST Requests and Updates;</i> <i>All Responses except COL, MSC, and CSI, if the 2<sup>nd</sup> character in the Action Code equals S; and</i> <i>ENF Requests or Updates.</i>
<b>E818</b>	NCP Locate	Mandatory Employer 2 Address is missing <i>Employer2-Address-Line-1 is required for ENF Requests and LOI Responses if Employer2-Name is present.</i>
<b>E819</b>	Participant	Mandatory Last Name is missing in Participant Block <i>Name-Last is required for the following transactions:</i> <i>PAT, EST, and CSI Requests and Updates;</i> <i>CSI Responses; and</i> <i>ENF Requests and Updates if the Relationship code equals D.</i>
<b>E820</b>	Participant	Mandatory First Name is missing in Participant Block <i>Name-First is required for the following transactions:</i> <i>PAT, EST, and CSI Requests and Updates;</i> <i>CSI Responses; and</i> <i>ENF Requests and Updates if Relationship equals D.</i>
<b>E821</b>	Participant	Mandatory Date of Birth is missing in Participant Block <i>Date-Of-Birth is required for the following transactions:</i> <i>PAT Requests and Updates; and</i> <i>ENF and EST Requests and Updates if the Relationship code equals D.</i>
<b>E823</b>	Participant	Mandatory Relationship is missing in Participant Block <i>Relationship is required if Name-Last and Name-First are present for LOI, PAT, EST, or ENF Requests, Updates, or Responses.</i>
<b>E824</b>	Order	Mandatory order FIPS state is missing <i>Order-FIPS-State is required for all transactions except CSI Responses.</i>
<b>E825</b>	Order	Mandatory order FIPS county is missing <i>Order-FIPS-County is required for all transactions except CSI Responses.</i>
<b>E826</b>	Order	Mandatory Order type is missing <i>Order-Type is required for the following transactions:</i> <i>ENF Requests and Updates; and</i> <i>PAT, EST, and ENF Responses.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E827</b>	NCP Locate	All Wage 2 fields must be filled <i>Inactive.</i>
<b>E828</b>	NCP Locate	All Wage 3 field must be filled <i>Inactive.</i>
<b>E829</b>	NCP-ID	Invalid Gender in NCP ID block <i>Gender in the NCP-ID data block must be M, F, or O.</i>
<b>E830</b>	NCP-ID	Invalid Race in NCP ID block <i>Race in the NCP-ID data block must be W, B, I, A, S, or X.</i>
<b>E831</b>	Header	Invalid Combination of FunctTypeCode, Act Code, and Act Reason <i>The combination of Functional-Type-Code, Action-Code, and Action-Reason is not valid according to the Valid Transaction Table.</i>
<b>E832</b>	Header	Action Res. Date is not century compliant <i>The century of Action-Resolution-Date must be either 19 or 20.</i>
<b>E833</b>	Header	Action Res. Date Century is not valid <i>Action-Resolution-Date must contain digits in the CCYYMMDD format.</i>
<b>E834</b>	Header	Action Res. Date Month is not valid <i>The month of Action-Resolution-Date must be between 01 and 12.</i>
<b>E835</b>	Header	Action Res. Date Day is not valid for leap year <i>The day of Action-Resolution-Date for leap year must be between 01 and 29.</i>
<b>E836</b>	Header	Action Res. Date Day is not valid <i>The day of Action-Resolution-Date must be between 01 and 31.</i>
<b>E837</b>	Header	Action Res. Date is not numeric <i>Action-Resolution-Date must contain digits in the CCYYMMDD format.</i>
<b>E838</b>	NCP Locate	Residential Address End Date is not century compliant <i>The century of Residential-Address-End-Date must be either 19 or 20.</i>
<b>E839</b>	NCP Locate	Residential Address End Date Century is not valid <i>Residential-Address-End-Date must contain digits in the CCYYMMDD format.</i>
<b>E840</b>	NCP Locate	Residential Address End Date Month is not valid <i>The month of Residential-Address-End-Date must be between 01 and 12.</i>



<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E841</b>	NCP Locate	Residential Address End Date Day is not valid for leap year <i>The day of Residential-Address-End-Date for leap year must be between 01 and 29.</i>
<b>E842</b>	NCP Locate	Residential Address End Date Day is not valid <i>The day of Residential-Address-End-Date must be between 01 and 31.</i>
<b>E843</b>	NCP Locate	Residential Address End Date is not numeric <i>Inactive.</i>
<b>E844</b>	NCP Locate	Last Employer Date is not century compliant <i>The century of Last-Employer-Date must be either 19 or 20.</i>
<b>E845</b>	NCP Locate	Last Employer Date Century is not valid <i>Last-Employer-Date must contain digits in the CCYYMMDD format.</i>
<b>E846</b>	NCP Locate	Last Employer Date Month is not valid <i>The month of Last-Employer-Date must be between 01 and 12.</i>
<b>E847</b>	NCP Locate	Last Employer Date Day is not valid for leap year <i>The day of Last-Employer-Date for leap year must be between 01 and 29.</i>
<b>E848</b>	NCP Locate	Last Employer Date Day is not valid <i>The day of Last-Employer-Date must be between 01 and 31.</i>
<b>E849</b>	NCP Locate	Last Employer Date is not numeric <i>Inactive.</i>
<b>E850</b>	Order	Medical Thru Date is not century compliant <i>The century of Medical-Thru-Date must be either 19 or 20.</i>
<b>E851</b>	Order	Medical Thru Date Century is not valid <i>Medical-Thru-Date must contain digits in the CCYYMMDD format.</i>
<b>E852</b>	Order	Medical Thru Date Month is not valid <i>The month of Medical-Thru-Date must be between 01 and 12.</i>
<b>E853</b>	Order	Medical Thru Date Day is not valid for leap year <i>The day of Medical-Thru-Date for leap year must be between 01 and 29.</i>
<b>E854</b>	Order	Medical Thru Date Day is not valid <i>The day of Medical-Thru-Date must be between 01 and 31.</i>
<b>E855</b>	Order	Medical Thru Date is not numeric <i>Medical-Thru-Date must contain digits in the CCYYMMDD format.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E856</b>	Order	Medical From Date is not century compliant <i>The century of Medical-From-Date must be either 19 or 20.</i>
<b>E857</b>	Order	Medical From Date Century is not valid <i>Medical-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E858</b>	Order	Medical From Date Month is not valid <i>The month of Medical-From-Date must be between 01 and 12.</i>
<b>E859</b>	Order	Medical From Date Day is not valid for leap year <i>The day of Medical-From-Date for leap year must be between 01 and 29.</i>
<b>E860</b>	Order	Medical From Date Day is not valid <i>The day of Medical-From-Date must be between 01 and 31.</i>
<b>E861</b>	Order	Medical From Date is not numeric <i>Medical-From-Date must contain digits in the CCYYMMDD format.</i>
<b>E862</b>	Order	Mandatory Arrears TANF from Date Missing <i>Arrears-TANF-From-Date is required if Arrears-TANF-Amount is greater than zero for the following transactions:</i> <i>ENF Requests and Updates; and</i> <i>PAT, EST, and ENF Responses.</i>
<b>E863</b>	Order	Mandatory Arrears TANF Thru Date Missing <i>Arrears-TANF-Thru-Date is required if Arrears-TANF-Amount is greater than zero for the following transactions:</i> <i>ENF Requests and Updates; and</i> <i>PAT, EST, and ENF Responses.</i>
<b>E864</b>	Order	Mandatory Arrears non TANF Date Missing <i>Arrears-Non-TANF-Thru-Date is required if Arrears-Non-TANF-Amount is greater than zero for the following transactions:</i> <i>ENF Requests and Updates; and</i> <i>PAT, EST, and ENF Responses.</i>
<b>E865</b>	Order	Mandatory Foster Care Thru Date Missing <i>Foster-Care-Thru-Date is required if Foster-Care-Amount is greater than zero for the following transactions:</i> <i>ENF Requests and Updates; and</i> <i>PAT, EST, and ENF Responses.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E866</b>	Order	Mandatory Foster Care From Date Missing <i>Foster-Care-From-Date is required if Foster-Care-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.</i>
<b>E867</b>	Order	Mandatory Medical Thru Date Missing <i>Medical-Thru-Date is required if Medical-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.</i>
<b>E868</b>	Header	Mandatory Sent Time is Missing <i>Inactive.</i>
<b>E869</b>	Header	Invalid Sent Time – Not numeric <i>Sent-Time must be digits only in HHMMSS format.</i>
<b>E870</b>	Header	Invalid Sent Time – Hour must be 00-23 <i>The Sent-Time hour must be between 00 and 23.</i>
<b>E871</b>	Header	Invalid Sent Time – Minute must be 00-59 <i>The Sent-Time minutes must be between 00 and 59.</i>
<b>E872</b>	Header	Invalid Sent Time – Second must be 00-59 <i>The Sent-Time seconds must be between 00 and 59.</i>
<b>E873</b>	Header	Sent Date is not century compliant <i>The century of Sent-Date must be either 19 or 20.</i>
<b>E874</b>	Header	Sent Date Century is not valid <i>Inactive.</i>
<b>E875</b>	Header	Sent Date Month is not valid <i>The month of Sent-Date must be between 01 and 12.</i>
<b>E876</b>	Header	Sent Date Day is not valid for leap year <i>The day of Sent-Date for leap year must be between 01 and 29.</i>
<b>E877</b>	Header	Sent Date Day is not valid <i>The day of Sent-Date must be between 01 and 31.</i>
<b>E878</b>	Header	Sent Date is not numeric <i>Sent-Date must contain digits in the CCYYMMDD format.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E880</b>	Header	Mandatory Sent Date is Missing <i>Inactive.</i>
<b>E881</b>	Header	Mandatory Participant data block is missing <i>Participant-Data-Ind. must be 1 or greater for CSI Responses.</i> <i>Participant-Data-Ind. must be 2 or greater for PAT, EST, and ENF Requests and Updates.</i>
<b>E882</b>	Header	Mandatory Collection data block is missing <i>Collection-Data-Ind. must be 1 or greater for COL Responses.</i>
<b>E883</b>	Participant	Relationship must be C in at least one Part block <i>If two Participant data blocks are present, at least one must have a Relationship code that equals C.</i>
<b>E884</b>	Participant	Relationship must be D in at least one Part block <i>If two Participant data blocks are present, at least one must have a Relationship code that equals D.</i>
<b>E885</b>	NCP Locate	Residential Address Eff Date is not century compliant <i>The century of Residential-Address-Effective-Date must be either 19 or 20.</i>
<b>E886</b>	NCP Locate	Residential Address Eff Date Century is not valid <i>Residential-Address-Effective-Date must contain digits in the CCYYMMDD format.</i>
<b>E887</b>	NCP Locate	Residential Address Eff Date Month is not valid <i>The month of Residential-Address-Effective-Date must be between 01 and 12.</i>
<b>E888</b>	NCP Locate	Residential Address Eff Date Day is not valid for leap year <i>The day of Residential-Address-Effective-Date for leap year must be between 01 and 29.</i>
<b>E889</b>	NCP Locate	Residential Address Eff Date Day is not valid <i>The day of Residential-Address-Effective-Date must be between 01 and 31.</i>
<b>E890</b>	NCP Locate	Residential Address Eff Date is not numeric <i>Inactive.</i>
<b>E891</b>	Header	Trans Serial Number cannot contain spaces <i>Transaction-Serial-Number must contain digits only. The value, which is a unique sequential number assigned to each transaction, must be right-justified and zero-filled to the left.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E892</b>	NCP Locate	Invalid CP Zip 2 <i>Inactive.</i>
<b>E893</b>	NCP Locate	Invalid Res Zip 2 <i>Residential-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E894</b>	NCP Locate	Invalid Mailing Zip1 <i>Mailing-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E895</b>	NCP Locate	Invalid Mailing Zip2 <i>Mailing-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E896</b>	NCP Locate	Invalid Home Phone <i>Home-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E897</b>	NCP Locate	Invalid last Res Zip2 <i>Last-Res.-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E898</b>	NCP Locate	Invalid last Mail Zip2 <i>Last-Mail-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E899</b>	NCP Locate	Invalid last Emp Zip2 <i>Last-Employer-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E900</b>	Participant	Invalid employer EIN in participant block <i>Employer-EIN must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E901</b>	Participant	Invalid work phone in participant block <i>Work-Phone must be filled with digits only. Digits must not be in consecutive order.</i>
<b>E902</b>	Participant	Invalid employer zip1 in participant block <i>Participant-Employer-Info.-Emp.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.</i>
<b>E903</b>	Participant	Invalid employer zip2 in participant block <i>Participant-Employer-Info.-Emp.-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E904</b>	Header	Invalid Other FIPS State <i>Other-FIPS-State is not valid according to the IRG.</i>
<b>E905</b>	Header	Invalid Other FIPS County <i>Other-FIPS-County is not valid according to the IRG.</i>
<b>E906</b>	Header	Originating FIPS does not match Local FIPS code <i>Local-FIPS-State must match the originating FIPS file.</i>
<b>E907</b>	Header	Invalid Local FIPS State Code <i>Local-FIPS-State is not valid according to the IRG.</i>
<b>E908</b>	Header	Invalid Local FIPS County Code <i>Local-FIPS-County is not valid according to the IRG.</i>
<b>E909</b>	Header	Mandatory Attachments Ind is missing <i>Attachments-Ind. is required.</i>
<b>E910</b>	Case	Invalid Contact Zip 2 <i>Contact-Zip-2 must be filled with digits only. Digits must not equal all zeros.</i>
<b>E911</b>	NCP Locate	Last Res Address Date is not century compliant <i>The century of Last-Res.-Address-Date must be either 19 or 20.</i>
<b>E912</b>	NCP Locate	Last Res Address Date Century is not valid <i>Last-Res.-Address-Date must contain digits in the CCYYMMDD format.</i>
<b>E913</b>	NCP Locate	Last Res Address Date Month is not valid <i>The month of Last-Res.-Address-Date must be between 01 and 12.</i>
<b>E914</b>	NCP Locate	Last Res Address Date Day is not valid for leap year <i>The day of Last-Res.-Address-Date for leap year must be between 01 and 29.</i>
<b>E915</b>	NCP Locate	Last Res Address Date Day is not valid <i>The day of Last-Res.-Address-Date must be between 01 and 31.</i>
<b>E916</b>	NCP Locate	Last Res Address Date is not numeric <i>Inactive.</i>
<b>E917</b>	Participant	Mandatory Participant Address Line 1 is missing <i>Participant-Address-Line-1 is required for PAT Requests and Updates if Payment-Address-Line-1 is not present in the Case data block and Relationship is C.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E918</b>	Participant	Invalid Employer State in participant block <i>Participant-Employer-Info.-Emp.-State must be valid state code.</i>
<b>E919</b>	Order	Order Cancel Date <= Order Effective Date <i>Order-Cancel-Date must be greater than Order-Effective-Date.</i>
<b>E920</b>	NCP-ID	NCP_ID Block: Date of Birth is not century compliant <i>The century of Date-Of-Birth must be either 19 or 20.</i>
<b>E921</b>	NCP-ID	NCP_ID Block: Date of Birth Century is not valid <i>Date-of-Birth in NCP-ID data block must contain digits in the CCYYMMDD format.</i>
<b>E922</b>	NCP-ID	NCP_ID Block: Date of Birth Month is not valid <i>The month of Date-Of-Birth must be between 01 and 12.</i>
<b>E923</b>	NCP-ID	NCP_ID Block: Date of Birth Day is not valid for leap year <i>The day of Date-Of Birth for leap year must be between 01 and 29.</i>
<b>E924</b>	NCP-ID	NCP_ID Block: Date of Birth Day is not valid <i>The day of Date-Of Birth must be between 01 and 31.</i>
<b>E925</b>	NCP-ID	NCP_ID Block: Date of Birth is not numeric <i>Date-Of-Birth must contain digits in the CCYYMMDD format.</i>
<b>E926</b>	Participant	Part. Block: Date of Birth is not century compliant <i>The century of Date-Of-Birth must be either 19 or 20.</i>
<b>E927</b>	Participant	Part. Block: Date of Birth Century is not valid <i>Date-of-Birth in the Participant data block must contain digits in the CCYYMMDD format.</i>
<b>E928</b>	Participant	Part. Block: Date of Birth Month is not valid <i>The month of Date-Of Birth must be between 01 and 12.</i>
<b>E929</b>	Participant	Part. Block: Date of Birth Day is not valid for leap year <i>The day of Date-Of-Birth for leap year must be between 01 and 29.</i>
<b>E930</b>	Participant	Part. Block: Date of Birth Day is not valid <i>The day of Date-Of-Birth must be between 01 and 31.</i>
<b>E931</b>	Participant	Part. Block: Date of Birth is not numeric <i>Date-Of-Birth must contain digits in the CCYYMMDD format.</i>

<b>CHART E-1: CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>		
<b>Error Code</b>	<b>Data Block</b>	<b>Message/Description</b>
<b>E932</b>	NCP Locate	Invalid Wage Qtr/Wage Year/Wage Amount Combination <i>Wage-Qtr, Wage-Year, and Wage-Amount must be either present or blank. These fields also cannot equal all zeros.</i>
<b>E933</b>	NCP Locate	Invalid Wage2 Qtr/Wage2 Year/Wage2 Amount Combination <i>Wage2-Qtr, Wage2-Year, and Wage2-Amount must be either present or blank. These fields also cannot equal all zeros.</i>
<b>E934</b>	NCP Locate	Invalid Wage3 Qtr/Wage3 Year/Wage3 Amount Combination <i>Wage3-Qtr, Wage3-Year, and Wage3-Amount must be either present or blank. These fields also cannot equal all zeros.</i>
<b>E935</b>	Header	Case ID Reconciliation Comm. Not Allowed <i>No valid Case-ID exchange agreement exists.(Applies only to CSI P RINIT and CSI P RRESP transactions used for ICR-CSI.)</i>